

PUFAS Mould Remover – Chlorine-Free CF

Use:

Thoroughly and reliably removes mould, algae and bacteria. The odourless Mould Remover with active oxygen is particularly recommended for living rooms and bedrooms. Suitable for wallpaper, plaster, masonry, ceramics, plastics and similar acid-resistant surfaces.

Properties:

- ready-to-use
- with active oxygen
- odourless
- ideal for living rooms, bedrooms and children's rooms

Technical data:

Aqueous hydrogen perox-	
ide solution, surfactant and	
auxiliary materials	
Approx. 1.05 g/cm ³	
2.5 – 3.5	

Application:

To prevent spread of mould spores within space, do not brush down infected surfaces prior to application. Spray PUFAS Mould Remover onto infected surface from a distance of approx. 20 cm or apply by brush until continuous film has formed. Depending on degree of infection, allow to work for 30 - 60 minutes; in case of particularly severe infection, for several hours or overnight. Remove loose residue with sponge or soft cloth, then wipe down surface with damp cloth.

Note:

Not suitable for acid-sensitive surfaces such as marble, metal or plants. Prior to use, test surfaces at inconspicuous location for compatibility. Protect areas not to be treated from spray mist and splashes. Immediately wash off accidental splashes with plenty of water.

Please exercise care in the use of biocidal products. Always read the label and product information prior to application.

Please consult safety data sheet for safety-relevant data. Up-to-date safety data sheets are available from our website at <u>www.pufas.de</u> or from <u>sds@pufas.de</u>.

Medical emergency number: +49 (0)5 51/1 92 40

Storage:

Store in cool, dark place in properly sealed pack. Keep out of reach of children.

Disposal:

Do not allow to enter drains, sewers or surface waters. Hand over only fully emptied containers for recycling. Dispose of liquid waste under EWC waste code: 07 06 01.

Item No.	EAN	Container size
015502000	4007954155028	500 ml
015504000	4007954155042	5 ltr

PUFAS Werk KG, Im Schedetal 1, 34346 Hann. Münden Tel. 05541 / 7003– 01, www.pufas.de

Status: 09.05.2023

Note:

All details and data presented in this information sheet are based on our practical experience and laboratory investigations, and reflect the current state of the art. They can, however, only serve as general guidance and shall provide no guarantee of specific properties or performance. Given that the conditions for storage, transportation and application of products are beyond our control, no legal liability may be construed from the information presented here. It shall be the responsibility of the user to check the product's suitability for the envisaged purpose under the specific site or project conditions.