

# PUFAS Facade Cleaner SE

## PUFAS Salpeter Entferner SE

- ready-to-use
- removes efflorescence
- for masonry, render, concrete and acid-resistant natural stone

### Instructions for use:

*PUFAS Facade Cleaner SE* quickly and effectively removes efflorescence from plaster, concrete, masonry, clinker, and similar surfaces.

### Technical specifications:

Components: tensides (surfactants) and phosphoric acid

Density: approx. 1.4 g/cm<sup>3</sup>

pH-value: approx. 1.5

Usage: approx. 100 g/m<sup>2</sup>

### Substrate preparation:

Use a small test area of the surface to check its compatibility first before applying, as the acid can corrode non-acid resistant surfaces such as marble, artificial stone, etc.

### Application:

*PUFAS Facade Cleaner SE* is ready for use and is applied to the surface using a brush. After treating the surface, leave it to act for approx. 10 minutes and then wash off with plenty of water and leave the surface to dry. Ensure moisture can no longer penetrate the masonry to prevent the efflorescence from reappearing.

Thoroughly wash tools with water immediately after use.

### Note:

Please see EU safety data sheet for all safety-related data (EU-CLP)

Do not use if the object and/or room temperature are below + 5° Celsius!

### Considerations disposal:

Please see EU safety data sheet section 13 (EWC).

### Storage:

Store cool, but frost-free place!

Keep the containers tightly sealed!

### Available sizes:

1 l	4007954047019	004701000	REG
-----	---------------	-----------	-----

### Note:

All details and data presented in this information sheet are based on our practical experience and laboratory investigations, and reflect the current state of the art. They can, however, only serve as general guidance and shall provide no guarantee of specific properties or performance. Given that the conditions for storage, transportation and application of products are beyond our control, no legal liability may be construed from the information presented here. It shall be the responsibility of the user to check the product's suitability for the envisaged purpose under the specific site or project conditions.